

SELAR® JERRY CAN

REPLACES
FLUORINATED

REPLACES STEEL &
EPOXY PHENOLIC

UN CLASSIFICATION
X RATED



This SMART liquid container is *the* light weight ALTERNATIVE TO EXPENSIVE STEEL & EPOXY PHENOLIC packaging. INNOVATIVE and flexible barrier resin RESISTS diffusion & evaporation preventing costly product loss.

IMPACT
RESISTANT

STACKABLE
& LIGHTWEIGHT

DIMENSIONS:

Volume	5 liter / 1.3 gal.	6 liter / 1.6 gal.	12 liter / 3.2 gal.	20 liter / 5.2 gal.	30 liter / 7.9 gal.
Weight	280g / .6 lbs	340g / .7 lbs	580g / 1.3 lbs	1200g / 2.6 lb	1500g / 3.3 lbs
A-Length	7.5" / 190mm	7.5" / 190mm	9.1" / 230mm	11.4" / 290mm	11.4" / 290mm
B-Width	5.7" / 145mm	5.7" / 145mm	7.5" / 190mm	9.9" / 252mm	9.9" / 252mm
C-Height	9.2" / 235mm	10.8" / 275mm	13.4" / 340mm	14.6" / 370mm	19.8" / 504mm
D-to Handle	9.8" / 250mm	11.6" / 295mm	14.4" / 365mm	14.7" / 374mm	19.7" / 500mm
E-Cap	DIN 50	DIN 50	DIN 50	DIN 60	DIN 60
F-Neck	1.6" / 41mm	1.6" / 41mm	1.6" / 41mm	1.9" / 48mm	1.9" / 48mm

*Dimensions converted from metric are approximate.

KEY ATTRIBUTES:

SELAR® Barrier Resin: Safely holds most foodstuffs, flavors and essential oils

Economical: Alternative to expensive steel and epoxy phenolic containers

Durable: Impact resistant and better barrier to a wider range of organic solvents

Light Weight: Easier to manage and saves on shipping costs

Shape: Stackable rectangle makes shipping more efficient

Tamper-Evident: Screw cap system

Recyclable

MATERIAL SPECIFICATIONS:

Description: UN X rated, plastic extrusion blow-molded Jerry can with a black screw cap

Screw Cap/Neck: DIN 50 or DIN 60 with tamper-evident system


Pullout Spouts: Available

COMPOSITION:

Body: SELAR®, HDPE and Masterbatch

Screw cap: HDPE Bormed HE7541-PH

Inliner: Alveolit TA SF 0500, cross link polyethylene



spekPAK
Specialty Packaging for Life.

866-766-5159

www.spekpak.com • info@spekpak.com

Exclusive U.S. representative of Fischer Söhne AG

SELAR® BOTTLE

This SMART liquid container is *the* light weight ALTERNATIVE TO EXPENSIVE ALUMINUM & FLUORINATED PLASTIC packaging. INNOVATIVE and flexible barrier resin RESISTS diffusion & evaporation preventing costly product loss.


REPLACES
FLUORINATED

REPLACES
ALUMINUM

UN CLASSIFICATION
Y RATED

LIGHTWEIGHT

IMPACT
RESISTANT



Volume	1 liter / 33.8oz
Weight	60g / 2.1oz
A-Length	4.7" / 120mm
B-Width	2.9" / 74mm
C-Height	5.8" / 147mm
D-to Cap	7.1" / 180mm
E-Cap	1.3" / 34mm

*Dimensions converted from metric are approximate.

KEY ATTRIBUTES:

SELAR® Barrier Resin: Safely holds most flavors, fragrances and chemicals

Economical: Alternative to expensive aluminum containers

Durable: Impact resistant and better barrier to a wider range of organic solvents

Light Weight: Save on shipping costs

Shape: Rectangle makes shipping more efficient

Tamper-Evident: Screw cap system

Recyclable

MATERIAL SPECIFICATIONS:

Description: UN Y rated, plastic extrusion blow-molded bottle with a black screw cap

Screw Cap/Neck: 34mm with tamper-evident system

COMPOSITION:

Body: SELAR®, HDPE and Masterbatch

Screw cap: HDPE Bormed HE7541-PH

Inliner: Alveolit TA SF 0500, cross link polyethylene

SPEKPAK
Specialty Packaging for Life.

866-766-5159

www.spekpak.com • info@spekpak.com

Exclusive U.S. representative of Fischer Söhne AG

ACCESSORIES

POUR SPOUT

- Pull-out type
- DIN 50 cap size. Fits 5, 6 and 12 liter SpekPak containers.
- Tamper-evident cap.
- Resealable screw threads.



MANUAL WRENCHES

- For applying and removing screw caps
- Two sizes – One size fits DIN 50 cap on 5, 6 and 12 liter SpekPak containers. One size fits DIN 60 cap on 20 and 30 liter SpekPak containers.



ANTI-GLUG DEVICE

- Fits DIN 60 necks on 20 and 30 liter SpekPak containers.
- Allows smooth flow of liquid.



SPIGOT

- Two sizes – One size fits DIN 50 neck on 5, 6 and 12 liter SpekPak containers. The other fits DIN 60 neck on 20 and 30 liter SpekPak containers.



spekPAK
Specialty Packaging for Life.

866-766-5159
www.spekpak.com • info@spekpak.com

Exclusive U.S. representative of Fischer Söhne AG